

Notice of Allowability

Application No.

09/672,200

Examiner

LeChi Truong

Applicant(s)

SLAUGHTER ET AL.

Art Unit

2194

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 1/11/2008.
2. ☒ The allowed claim(s) is/are 1,2, 4, 6-11, 13-15, 17-18, 20,22, 23-26, 28-31, 33-36, 51-52, 54-57, 73-78, 80 now renumbered as claims 1-41.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material

5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


SUPERVISOR, ART UNIT 2194

Allowance

1. This is in responding to the applicant filed on 01/11/2008

Allowable Subject Matter

2. Claims 1,2, 4, 6-11, 13-15, 17-18, 20,22, 23-26, 28-31, 33-36, 51-52, 54-57, 73-78, 80 are allowed.

3. The following is an examiner's statement of reasons for allowance:

As to claims 1, 17, 33, 51 the prior art as taught by Brandle et al (US. Patent. 5,218,699), Monday(6,480,860 B1) and Juster(US. Patent 6,202,089 B1) do not teach on render obvious the limitations recited in claims 1, 17, 33, 51, when taken in the context of the claims as a whole, wherein the virtual machine is executing within a client device in the distributed computing environment storing the generated results data to a space service in the distributed computing environment, wherein said space service is separate from said client, and wherein said space service is accessible as a service by multiple entities other than said client in the distributed computing environment, a method gate, wherein the method gate is generated according to a data representation language schema defining one or more method interfaces for a service in a distributed computing environment; generating a client results message endpoint in accordance with the information in the provided advertisement, wherein the client results message endpoint is configured to send messages to the space service for the client as recited in the independent claims 1, 17, 33, 51. Moreover, evidence for modifying the prior art teachings by one of ordinary skill level in the art was not uncovered so as to result in the invention as recited in claims 1, 17, 33, 51.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LeChi Truong whose telephone number is (571) 272 3767. The examiner can normally be reached on 8 - 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomson, William can be reached on (571) 272 3718. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIP. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIP system, contact the Electronic Business Center (EBC) at 866-217-9197(toll-free).

Application/Control Number:
09/672,200
Art Unit: 2194

Page 4

LeChi Truong

January 31, 2008


SUPERVISOR: [illegible]

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Robert C. Kowert (Registration No. 39,255) on 1/12/2008.

3. Amend the following claims:

In the Claims:

1. (Currently amended) A computer-implemented method for remotely invoking functions in a distributed computing environment, comprising:

a client generating a message, wherein the message includes information representing a computer programming language method call from a process, wherein the process is executing within a virtual machine, wherein the virtual machine is executing within a client device in the distributed computing environment;

the client sending the message to a service, wherein the service is configured to perform functions on behalf of the client; and

the service performing a function on behalf of the client in accordance with the information representing the computer programming language method call included in the message, wherein said performing generates results data;

storing the generated results data to a space service in the distributed computing environment, wherein said space service is separate from said client, and wherein said space service is accessible as a service by multiple entities other than said client in the distributed computing environment;

providing an advertisement for the stored results data to the client, wherein the advertisement comprises information to enable access by the client to the stored results data; and

the client accessing the stored results data from the space service in accordance with the information in the provided advertisement.

2. (Original) The method as recited in claim 1, wherein the service performs the function on behalf of the client asynchronously to processing on the client.

3. (Canceled)

4. (Previously presented) The method as recited in claim 77, wherein said sending the message comprises the client method gate sending the message to the service.

5. (Canceled)

6. (Currently amended) The method as recited in claim 1 [[5]], wherein the virtual machine is a Java Virtual Machine (JVM).

7. (Original) The method as recited in claim 1, wherein the service comprises one or more computer programming language methods executable within the service, wherein said performing a function comprises executing a computer programming language method in accordance with the information representing the computer programming language method call included in the message.

8. (Original) The method as recited in claim 1, wherein the service comprises one or more computer programming language methods executable within the service, wherein the information representing the computer programming language method call includes an identifier of the method call, and wherein said performing a function comprises:

regenerating the method call in accordance with the identifier of the method call included in the information representing the method call; and

executing a computer programming language method in accordance with the regenerated method call.

9. (Original) The method as recited in claim 8, wherein the information representing the computer programming language method call further includes one or more parameter values of the method call, and wherein said executing a computer programming language method in accordance with the regenerated method call comprises providing the one or more parameter values from the information representing the method call as parameter values of the method call.

10. (Original) The method as recited in claim 8, wherein the service comprises a service method gate configured to provide an interface to computer programming language methods of the service by receiving messages and invoking methods specified by the messages, and wherein said regenerating the method call is performed by the service method gate.

11. (Original) The method as recited in claim 1, wherein said performing a function generates results data, the method further comprising the service providing the generated results data to the client.

12. (Canceled)

13. (Previously presented) The method as recited in claim 1, wherein the client accessing the stored results data comprises:

generating a client results message endpoint in accordance with the information in the provided advertisement, wherein the client results message endpoint is configured to send messages to the space service for the client;

generating a results request message, wherein the results request message requests a portion of the results data to be provided to the client;

the client results message endpoint sending the results request message to the space service; and

the space service sending the requested portion of the results data to the client results message endpoint in response to receiving the results request message.

14. (Original) The method as recited in claim 13, wherein the results request message is received on the space service by a space service results message endpoint, and wherein the space service sending the requested portion of the results to the client results message endpoint comprises:

generating a results response message, wherein the results response message includes the requested portion of the results; and

the space service results message endpoint sending the results response message to the client results message endpoint.

15. (Currently amended) The method as recited in claim 1[[2]], wherein the information to enable access by the client to the stored results comprises one or more Uniform Resource Identifiers (URIs) for accessing the stored results.

16. (Canceled)

17. (Currently amended) A distributed computing system, comprising:

a service device configured to execute functions on behalf of clients of the service device;

a client device configured to:

generate a message, wherein the message includes information representing a computer programming language method call from a process, wherein the client device further comprises a virtual machine executable within the client device, wherein the process is executing within the virtual machine; and

send the message to the service device;

a space service device configured to receive and store results data from service devices in the distributed computing system, wherein the space service device is a separate physical device than the client device;

wherein the service device is configured to:

receive the message sent by the client device; and

perform a function on behalf of the client device in accordance with the information representing the computer programming language method call included in the message, wherein performing the function generates results data;

store the results data to the space service device; and

provide an advertisement for the stored results data to the client device, wherein the advertisement comprises information to enable access by the client device to the stored results data.

18. (Original) The system as recited in claim 17, wherein the service device performs the function on behalf of the client device asynchronously to processing on the client device.

19. (Canceled)

20. (Previously presented) The system as recited in claim 18, wherein the client method gate is further configured to send the message to the service for the client device.

21. (Canceled)

22. (Currently amended) The system as recited in claim 17 [[21]], wherein the virtual machine is a Java Virtual Machine (JVM).

23. (Original) The system as recited in claim 17, wherein, in said performing a function, the service device is further configured to execute a computer programming language method in accordance with the information representing the computer programming language method call included in the message.

24. (Original) The system as recited in claim 17, wherein, in said performing a function, the service device is further configured to:

regenerate the computer programming language method call in accordance with an identifier of the method call included in the message; and

execute a computer programming language method in accordance with the regenerated method call.

25. (Original) The system as recited in claim 24, wherein, in said executing a computer programming language method, the service device is further configured to provide one or more parameter values included in the message as parameter values of the method call.

26. (Original) The system as recited in claim 17, wherein said performing the function generates results data, and wherein the service device is further configured to provide the generated results data to the client device.

27. (Canceled)

28. (Previously presented) The system as recited in claim 17, wherein the client device is further configured to access the stored results data from the space service device in accordance with the information in the provided advertisement for the stored results data.

29. (Original) The system as recited in claim 28, wherein, in said accessing the stored results data, the client device is further configured to:

generate a client results message endpoint in accordance with the information in the provided advertisement, wherein the client results message endpoint is executable within the client device, wherein the client results message endpoint is configured to:

generate a results request message, wherein the results request message requests a portion of the results data be provided to the client device; and

send the results request message to the space service device.

30. (Original) The system as recited in claim 29, wherein the space service device comprises a space service results message endpoint executable within the space service device and configured to:

receive the results request message; and

send a results response message to the client results message endpoint, wherein the results response message includes the requested portion of the results data.

31. (Original) The system as recited in claim 17 [[27]], wherein the information to enable access comprises one or more Uniform Resource Identifiers (URIs) for accessing the stored results.

32. (Canceled)

33. (Previously presented) A device, comprising:

a client component; and

a method gate, wherein the method gate is generated according to a data representation language schema defining one or more method interfaces for a service in a distributed computing environment;

wherein the client component is configured to:

generate a computer programming language method call;

wherein the method gate is configured to:

access the computer programming language method call generated by the client component;

generate a message, wherein the message includes information representing the computer programming language method call, and wherein the message is generated as defined by the data representation language schema; and

send the message to the service in the distributed computing environment;

wherein the service is operable to:

perform a function on behalf of the client component in accordance with the information representing the computer programming language method call included in the message; and

store results data generated by the function to a space service in the distributed computing environment; and

wherein the client component is further configured to:

access an advertisement for the results data, wherein the advertisement comprises information to enable access by the client component to the results data; and

access the results data from the space service in accordance with the information in the provided advertisement for the stored results data.

34. (Original) The device as recited in claim 33, wherein the service is further operable to perform the function on behalf of the client component asynchronously to processing of the client component.

35. (Original) The device as recited in claim 33, wherein the device further comprises a virtual machine executable within the device, wherein the client component and the method gate are executable within the virtual machine.

36. (Original) The device as recited in claim 35, wherein the virtual machine is a Java Virtual Machine (JVM).

37. – 50. (Canceled)

51. (Previously presented) A tangible, computer readable storage medium comprising program instructions, wherein the program instructions are computer-executable to implement:

a client generating a message, wherein the message includes information representing a computer programming language method call;

the client sending the message to a service, wherein the service is configured to perform functions on behalf of the client; and

wherein the service performs a function on behalf of the client in accordance with the information representing the computer programming language method call included in the message;

wherein results data from said performing the function are stored to a space service;

the client receiving an advertisement for the stored results data, wherein the advertisement comprises information to enable access by the client to the stored results data; and

the client accessing the stored results data from the space service in accordance with the information in the provided advertisement, wherein, in the client accessing the stored results data, the program instructions are further computer-executable to implement:

generating a client results message endpoint in accordance with the information in the provided advertisement, wherein the client results message endpoint is configured to send messages to the space service for the client;

generating a results request message, wherein the results request message requests a portion of the results data to be provided to the client;

the client results message endpoint sending the results request message to the space service; and

the client results message endpoint receiving the requested portion of the results data from the space service in response to the results request message.

52. (Previously presented) The tangible, computer readable storage medium as recited in claim 51, wherein the service device performs the function on behalf of the client device asynchronously to processing on the client device.

53. (Canceled)

54. (Currently amended) The tangible, computer readable storage medium as recited in claim 51, wherein the computer programming language method call is from a process, wherein the process is executing within a virtual machine, wherein the virtual machine is executing within a client device in the distributed computing environment.

55. (Previously presented) The tangible, computer readable storage medium as recited in claim 54, wherein the virtual machine is a Java Virtual Machine (JVM).

56. (Previously presented) The tangible, computer readable storage medium as recited in claim 51, wherein the information representing the computer programming language method call includes an identifier of the method call, and wherein, in said performing a function, the program instructions are further computer-executable to implement:

regenerating the method call in accordance with the identifier of the method call included in the information representing the method call; and

executing a computer programming language method in accordance with the regenerated method call.

57. (Previously presented) The tangible, computer readable storage medium as recited in claim 56, wherein the information representing the computer programming language method call further includes one or more parameter values of the method call, and wherein, in said executing a computer programming language method in accordance with the regenerated method call, the program instructions are further computer-executable to implement providing the one or more parameter values from the information representing the method call as parameter values of the method call.

58. – 72. (Canceled)

73. (Previously presented) The method as recited in claim 1, wherein the computer programming language is the Java programming language, and wherein the information representing the method call in the message represents a Java method call to a Java method implemented on the service, and wherein the service performing a function comprises invoking the Java method on the service in accordance with the information representing the Java method call included in the message.

74. (Previously presented) The system as recited in claim 17, wherein the computer programming language is the Java programming language, and wherein the information

representing the method call in the message represents a Java method call to a Java method implemented on the service, and wherein, in said performing a function, the service device is further configured to invoke the Java method on the service device in accordance with the information representing the Java method call included in the message.

75. (Previously presented) The device as recited in claim 33, wherein the computer programming language is the Java programming language, and wherein the information representing a method call in the message represents a Java method call to a Java method implemented on the service.

76. (Previously presented) The tangible, computer readable storage medium as recited in claim 51, wherein the computer programming language is the Java programming language, and wherein the information representing the method call in the message represents a Java method call to a Java method implemented on the service, and wherein, in said performing a function, the program instructions are further computer-executable to implement invoking the Java method on the service in accordance with the information representing the Java method call included in the message.

77. (Currently amended) The method as recited in claim 1,

wherein the client comprises a client method gate, wherein the method gate is generated for the client according to a data representation language schema defining one or more method interfaces for a service in the distributed computing environment;

wherein said generating a message comprises:

the client method gate receiving the computer programming language method call from [[a]] the process executing within the client; and

the client method gate generating the message for the client, wherein the message is generated as defined by the data representation language schema, and wherein the information representing a computer programming language method call in the message represents the method call received from the process.

78. (Currently amended) The distributed computing system of claim 17,

wherein the client device comprises a client method gate executable within the client device and wherein the method gate is generated according to a data representation language schema defining one or more method interfaces for the service device;

wherein the client method gate is configured to:

receive the computer programming language method call from [[a]] the process executing within the client device; and

generate the message on the client device, wherein the message is generated as defined by the data representation language schema, and wherein the information representing a computer programming language method call in the message represents the method call received from the process.

79. (Canceled)

80. (Previously presented) The tangible, computer readable storage medium of claim 51,

wherein the client comprises a client method gate, wherein the method gate is generated according to a data representation language schema defining one or more method interfaces for a service in a distributed computing environment;

wherein in said generating a message, the program instructions are further computer executable to implement:

the client method gate receiving the computer programming language method call from a process executing on the client; and

the client method gate generating the message for the client, wherein the message is generated as defined by the data representation language schema, and wherein the information representing a computer programming language method call in the message represents the method call received from the process.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LeChi Truong whose telephone number is (571) 272 3767. The examiner can normally be reached on 8 - 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomson, William can be reached on (571) 272 3718. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIP. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR


Application/Control Number:
09/672,200
Art Unit: 2194

Page 25

system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIP system, contact the Electronic Business Center (EBC) at 866-217-9197(toll-free).

LeChi Truong

January 31, 2008


WILLIAM THOMPSON
SUPERVISORY PATENT EXAMINER